






- ① PREFA sljemenjak
- ② letva grebena/ sljemena širine 30 mm
visina ovisna o nagibu krova
- ③ PREFA FX.12
- ④ sloj za razdvajanje



- ① PREFA JET-odzračni sljemenjak
- ② PREFA FX.12
- ③ brtveni vijak
- ④ klin od pjene samoljepiv
- ⑤ sloj za razdvajanje
- ⑥ kontraletve (ravnina prozračivanja)
- ⑦ podložna ljepenka




	datum	ime		PREFA ALuminiumprodukte Ges.m.b.H. A-3182 Markt/Lilienfeld
obradio	20.12.2011	MUA		
Izvedba sljemena kod PREFA FX12 PREFA sljemenjak i PREFA Jet odzračni sljemenjak				list br. 003
datoteka:				



- ① PREFA FX.12
- ② sloj za razdvajanje
- ③ puna oplata min. 24 mm
- ④ kontraletve
- ⑤ roženica
- ⑥ perforirani lim
- ⑦ opšav zabatnog ruba
- ⑧ rubna traka
- ⑨ pričvrсна traka
- ⑩ podložna ljepenka




	datum	ime		PREFA ALuminiumprodukte Ges.m.b.H. A-3182 Markt/Lilienfeld
obradlo	20.12.2011	MUA		
Izvedba polustljemena kod PREFA FX12				list br. 004
datoteka:				



- ① PREFA polukružni krovni žljeb
- ② PREFA polukružna kuka žljeba
- ③ PREFA FX.12
- ④ početna traka za PREFA FX.12
- ⑤ okapni lim
- ⑥ uljevni lim
- ⑦ podložna ljepenka
- ⑧ perforirani lim
- ⑨ sloj za razdvajanje




	datum	ime		PREFA ALuminiumprodukte Ges.m.b.H. A-3182 Markt/Lilienfeld
obradio	20.12.2011	MUA		
Izvedba strehe kod PREFA FX12 PREFA krovni žljeb				list br. 005
datoteka:				



- ① PREFA sandučasti žljeb
- ② PREFA kuka žljeba
- ③ PREFA FX.12
- ④ početna traka za PREFA FX.12
- ⑤ okapni lim
- ⑥ uljevni lim
- ⑦ podložna ljepenka
- ⑧ perforirani lim
- ⑨ sloj za razdvajanje




	datum	ime		PREFA ALuminiumprodukte Ges.m.b.H. A-3182 Markt/Lilienfeld
obradio	20.12.2011	MUA		
Izvedba strehe kod PREFA FX12 PREFA sandučasti žljeb				list br. 006
datoteka:				



- ① PREFA FX.12
- ② rubna daska
- ③ početna traka za PREFA FX.12
- ④ uljevni lim
- ⑤ PREFA krovni žljeb
- ⑥ PREFA kuka žljeba povinuta sjekomice
- ⑦ čeona daska
- ⑧ podložna ljepenka
- ⑨ peforirani lim
- ⑩ okapni lim
- ⑪ sloj za razdvajanje
- ⑫ pokrov roženice




	datum	ime		PREFA ALuminiumprodukte Ges.m.b.H. A-3182 Markt/Lilienfeld
obradio	05.04.2012	MUA		
Izvedba strehe kod PREFA FX12 kuka žljeba povinuta sjekomice				list br. 007
datoteka:				



- 1 PREFA FX.12
- 2 rubna traka
- 3 početna traka za PREFA FX.12
- 4 uljevni lim
- 5 PREFA krovni žljeb
- 6 PREFA kuka žljeba sjekomice
- 7 okapni lim
- 8 podložna ljepenka
- 9 perforirani lim
- 10 sloj za razdvajanje




	datum	ime		PREFA ALuminiumprodukte Ges.m.b.H. A-3182 Markt/Lilienfeld
obradio	05.04.2012	MUA		
Izvedba strehe kod PREFA FX12 kuka žljeba sjekomice V1				list br. 008
datoteka:				



- ① PREFA FX.12
- ② rubna daska
- ③ početna traka za PREFA FX.12
- ④ uljevni lim
- ⑤ PREFA krovni žljeb
- ⑥ PREFA kuka žljeba sjekomice
- ⑦ okapni lim
- ⑧ podložna ljepenka
- ⑨ peforirani lim
- ⑩ sloj za razdvajanje




	datum	ime		PREFA ALuminiumprodukte Ges.m.b.H. A-3182 Markt/Lilienfeld
obradio	05.04.2012	MUA		
Izvedba strehe kod PREFA FX12 kuka žljeba sjekomice V2				list br. 009
datoteka:				




- ① PREFA FX.12
- ② početna traka za PREFA FX.12
- ③ evt. brtvena traka
- ④ puna oplata min. 24 mm
- ⑤ PREFA ležeći žljeb
- ⑥ rubni lim
- ⑦ PREFA kuka ležećeg žljeba
- ⑧ strešna traka
- ⑨ žljebni nastavak
- ⑩ rubni nastavak
- ⑪ PREFA odvodna cijev
- ⑫ sloj za razdvajanje

	datum	ime		PREFA ALuminiumprodukte Ges.m.b.H. A-3182 Markt/Lilienfeld
obradio	05.04.2012	MUA		
Izvedba strehe kod PREFA FX12 ležeći žljeb				list br. 010
datoteka:				




	datum	ime		PREFA ALuminiumprodukte Ges.m.b.H. A-3182 Marktl/Lilienfeld
obradio	21.12.2011	MUA		
Izvedba zabatnog ruba kod PREFA FX12 PREFA zabatna traka				list br. 011
datoteka:				



- ① upušten zabatni rub
- ② sloj za razdvajanje
- ③ oplata min. 24 mm
- ④ kontraletve
- ⑤ roženica
- ⑥ zabatna traka
- ⑦ pričvrsna traka
- ⑧ povratni učvršćivač
- ⑨ PREFA FX.12
- ⑩ upuštena oplata zabatnog ruba
- ⑪ podložna ljepenka



	datum	ime		PREFA ALuminiumprodukte Ges.m.b.H. A-3182 Markt/Lilienfeld	
obradio	21.12.2011	MUA			
Izvedba zabatnog ruba kod PREFA FX12 zabatni rub upuštjen					list br. 012
datoteka:					




- ① PREFA FX.12
- ② sloj za razdvajanje
- ③ puna oplata min. 24 mm
- ④ povratni učvršćivač
- ⑤ zidni priključni lim
- ⑥ pokrov zida
- ⑦ učvršćivač (pričvrсни lim)



	datum	ime		PREFA ALuminiumprodukte Ges.m.b.H. A-3182 Markt/Lilienfeld
obradio	05.04.2012	MUA		
Pokrov zida kod PREFA FX12				list br. 013
datoteka:				


varijanta 2



- ① PREFA FX.12
- ② sloj za razdvajanje
- ③ puna oplata min. 24 mm
- ④ povratni učvršćivač
- ⑤ zidni pričvrtni lim
- ⑥ pričvrtna traka
- ⑦ pokrov zabatnog zida
- ⑧ zid



	datum	ime		PREFA ALuminiumprodukte Ges.m.b.H. A-3182 Markt/Lilienfeld
obradio	05.04.2012	MUA		
Pokrov atike kod PREFA FX12				list br. 014
datoteka:				




- 1 žbuka
- 2 toplotinska izolacija
- 3 zid
- 4 zidna priključna uvala min. visine 150 mm
- 5 profil za završetak lima
- 6 povratni učvršćivač
- 7 PREFA FX.12
- 8 sloj za razdvajanje
- 9 puna oplata min. 24mm



	datum	ime		PREFA ALuminiumprodukte Ges.m.b.H. A-3182 Markt/Lilienfeld
obradlo	21.12.2011	MUA		
Bočni zidni priključak kod PREFA FX12 s profilom za završetak lima				list br. 015
datoteka:				

varijanta s utičnom završnom lajsnom



- 1 žbuka
- 2 elastično brtvilo
- 3 toplinska izolacija
- 4 zid
- 5 završna lajsna
- 6 zidna priključna uvala min. visine 150 mm
- 7 povratni učvršćivač
- 8 PREFA FX.12
- 9 sloj za razdvajanje
- 10 puna oplata min. 24 mm
- 11 brtvena traka



Napomena: Ovaj završetak preporuča se za postojeće toplinski izolirane fasade.

	datum	ime		PREFA ALuminiumprodukte Ges.m.b.H. A-3182 Markt/Lilienfeld
obradio	21.12.2011	MUA		
Bočni zidni priključak kod PREFA FX12				list br. 016
datoteka:				

- 1 PREFA sigurnosna uvala
- 2 PREFA FX.12
- 3 učvršćivač
- 4 sloj za razdvajanje




	datum	ime	 PREF A Aluminiumprodukte Ges.m.b.H. A-3182 Marktl/Lilienfeld
obradio	21.12.2011	MUA	

Izvedba uvala kod PREF A FX12
 PREF A sigurnosna uvala

list
 br.
 017

datoteka:

- 1 PREFA FX.12
- 2 pričvrstna traka
- 3 sloj za razdvajanje
- 4 puna oplata min. 24mm
- 5 upuštena uvala




	datum	ime	 PREFA Aluminiumprodukte Ges.m.b.H. A-3182 Marktl/Lilienfeld
obradio	21.12.2011	MUA	

Izvedba uvale kod PREFA FX12
upuštena uvala VARIJANTA 1

list
br.
018

datoteka:

- 1 PREFA FX.12
- 2 upuštena uvala
- 3 sloj za razdvajanje
- 4 puna oplata min. 24mm
- 5 učvršćivač
- 6 upuštena uvala





	datum	ime	 PREF A Aluminiumprodukte Ges.m.b.H. A-3182 Marktl/Lilienfeld
obradio	05.04.2012	MUA	


Izvedba uvala kod PREF A FX12
upuštena uvala VARIJANTA 2

list
br.
019

datoteka:



- 1 PREFA FX.12
- 2 sloj za razdvajanje
- 3 puna oplata min. 24 mm
- 4 roženica
- 5 podložna ljepenka
- 6 kontraletve
- 7 PREFA odzračnik



Napomena: Svijetli otvor odzračnika: ~ 30 cm²
 oplatu i sloj za razdvajanje treba izrezati u skladu s veličinom svijetlog otvora
 (~10 cm Ø). Krovni pokrov treba uz rub otvora povinuti 1 cm prema gore.

	datum	ime	 PREFA Aluminijumprodukte Ges.m.b.H. A-3182 Marktl/Lilienfeld	
obradio	21.12.2011	MUA		
Odzračnik			list	br.
			020	
datoteka:				