




← 400 mm →



	datum	ime		
obradio	30.03.2012	TRR/MUA	Aluminiumprodukte Ges.m.b.H. A-3182 Marktl/Lilienfeld	

PREFA



Aluminiumprodukte Ges.m.b.H.
A-3182 Marktl/Lilienfeld

Plan polaganja R1 ; 3 kom./m² - prva 2 reda popunjena
Na izloženim mjestima broj snjegobrana odgovarajuće povećati.
Osnova: ÖNORM B 1991-1-3

Točkasti snjegobrani kod PREFA Krovnih rombova R1

list
br.
001

datoteka: k_krovni rombovi-Dachtrauten.dwg



Plan polaganja R2 ; 6 kom./m² - prva 2 reda popunjena
Na izloženim mjestima broj snjegobrana odgovarajuće povećati.



Osnova: ÖNORM B 1991-1-3

	datum	ime		
obradio	30.03.2012	TRR/MUA	Aluminiumprodukte Ges.m.b.H. A-3182 Marktl/Lilienfeld	

Točkasti snjegobrani kod PREFA Krovnih rombova R2

list
br.
002

datoteka: k_krovni rombovi-Dachtrauten.dwg




Plan polaganja R3 ; 12 kom./m²
Osnova: ÖNORM B 1991-1-3

	datum	ime	 PREFA Aluminiumprodukte Ges.m.b.H. A-3182 Marktl/Lilienfeld
obradio	30.03.2012	TRR/MUA	

Točkasti snjegobrani kod PREFA Krovnih rombova R3

list
br.
003

datoteka: k_krovni rombovi-Dachtrauten.dwg



- 1 PREFA sjemenjak
- 2 letva grebena / sjemenja širine 30 mm
- 3 visina različitia ovisna o nagibu krova
- 4 završna ploča za PREFA Krovne rombove
- 5 ventilacija kroz odzračnike za Krovne rombove
- 6 PREFA točkasti snjegobran za Krovne rombove
- 7 PREFA Krovni rombovi
- 8 sloj za razdvajanje
- 9 puna oplata min. 24 mm
- 10 krovne roženice
- 11 početna ploča za PREFA Krovne rombove
- 12 početna traka za PREFA Krovne rombove
- 13 traka za led - uljevni lim
- 13 PREFA učvršćivač za Krovne rombove

* Napust strehe ne smije prijeći 80 mm!




	datum	ime	 PREFA Aluminijumprodukte Ges.m.b.H. A-3182 Marktl/Lilienfeld
obradio	30.03.2012	TRR/MUA	

Jednoslojna izvedba krova s PREFA Krovnim rombovima

list
br.
004

datoteka: k_krovni rombovi-Dachtrauten.dwg





* Napust strehe ne smije prijeći 80 mm!


	datum	ime	 PREFE Aluminiumprodukte Ges.m.b.H. A-3182 Marktl/Lilienfeld	list br. 005
obradio	30.03.2012	TRR/MUA		

Dvoslojna izvedba
krova s PREFE Krovnim rombovima - oplata

datoteka: k_krovni rombovi-Dachtrauten.dwg




	datum	ime		PREFA ALuminiumprodukte Ges.m.b.H. A-3182 Markt/Lilienfeld
obradlo	30.03.2012	TRR/MUA		
Izvedba sljemena kod PREFA Krovnih rombova PREFA sljemenjak i PREFA Jet-odzračnik				list br. 006
datoteka: k_krovni rombovi-Dachrauten.dwg				




- ① završna ploča za PREFA Krovne rombove
- ② sloj za razdvajanje
- ③ puna oplata min. 24 mm
- ④ roženice
- ⑤ alu rešetka na ulazu zraka perforirana
- ⑥ opšav zabatnog ruba
- ⑦ rubna traka
- ⑧ pričvrсна traka
- ⑨ podložna ljepenka
- ⑩ kontraletva



	datum	ime		PREFA ALuminiumprodukte Ges.m.b.H. A-3182 Markt/Lilienfeld
obradio	30.03.2012	TRR/MUA		
Izvedba polustljemena kod PREFA Krovnih rombova				list br. 007
datoteka: k_krovni rombovi-Dachrauten.dwg				




- 1 PREFA krovni žljeb
- 2 PREFA kuca žljeba
- 3 PREFA Krovni rombovi
- 4 PREFA početna ploča za Krovne rombove
- 5 početna traka za PREFA Krovne rombove
- 6 okapni lim
- 7 uljevni lim
- 8 sloj za razdvajanje
- 9 podložna ljepenka
- 10 perforirani lim




* Napust strehe ne smije prijeći 80 mm!

	datum	ime	 PREFA Aluminiumprodukte Ges.m.b.H. A-3182 Marktl/Lilienfeld	list br. 008
obradio	30.03.2012	TRR/MUA		
Izvedba strehe kod PREFA Krovnih rombova, PREFA krovni žljeb				
datoteka: k_krovni rombovi-Dachtrauten.dwg				



- 1 PREFA sandučasti žljeb
- 2 PREFA kuća sandučastog žljeba
- 3 PREFA Krovni rombovi
- 4 PREFA početna ploča za Krovne rombove
- 5 početna traka za PREFA Krovne rombove
- 6 okapni lim
- 7 uljevni lim
- 8 sloj za razdvajanje
- 9 podložna ljepenka
- 10 perforirani lim




* Napust strehe ne smije prijeći 80 mm!

	datum	ime	 PREFA Aluminiumprodukte Ges.m.b.H. A-3182 Marktl/Lilienfeld	
obradio	30.03.2012	TRR/MUA		


Izvedba strehe kod PREFA Krovnih rombova,
PREFA sandučasti žljeb

list
br.
009

datoteka: k_krovni rombovi-Dachtrauten.dwg



- 1 PREFA Krovni rombovi
- 2 rubna daska
- 3 početna traka za PREFA Krovne rombove
- 4 PREFA početna ploča za Krovne rombove
- 5 PREFA krovni žljeb
- 6 PREFA kuka žljeba sjekomice
- 7 čeonu daska
- 8 perforirani lim
- 9 sloj za razdvajanje
- 10 okapni lim
- 11 podložna ljepenka
- 12 uljevni lim
- 13 pokrov roženice




* Napust strehe ne smije prijeći 80 mm!


	datum	ime	 PREFA Aluminijumprodukte Ges.m.b.H. A-3182 Marktl/Lilienfeld	list
obradio	30.03.2012	TRR/MUA		br. 010

Izvedba strehe kod PREFA Krovni rombova,
kuka žljeba povinuta sjekomice

datoteka: k_krovni rombovi-Dachtrauten.dwg



- 1 PREFA Krovni rombovi
- 2 rubna daska
- 3 početna traka za PREFA Krovne rombove
- 4 PREFA početna ploča za Krovne rombove
- 5 PREFA krovni žljeb
- 6 PREFA kuća žljeba sjekomice
- 7 okapni lim
- 8 sloj za razdvajanje
- 9 podložna ljepenka
- 10 uljevni lim
- 11 perforirani lim




* Napust strehe ne smije prijeći 80 mm!

	datum	ime	 PREFA Aluminijumprodukte Ges.m.b.H. A-3182 Marktl/Lilienfeld	
obradio	30.03.2012	TRR/MUA		

Izvedba strehe kod PREFA Krovnih rombova,
kuća žljeba sjekomice V1

list
br.
011


datoteka: k_krovni rombovi-Dachtrauten.dwg




- ① PREFA početne ploče za Krovne rombove
- ② početna traka za PREFA Krovne rombove
- ③ evt. brtvena traka
- ④ puna oplata min. 24 mm
- ⑤ PREFA ležeći žljeb
- ⑥ rubni lim
- ⑦ PREFA kuka ležećeg žljeba
- ⑧ strešna traka
- ⑨ žljebni nastavak
- ⑩ rubni nastavak
- ⑪ PREFA odvodna cijev
- ⑫ sloj za razdvajanje




	datum	ime		PREFA ALuminiumprodukte Ges.m.b.H. A-3182 Markt/Lilienfeld	
obradio	30.03.2012	TRR/MUA			
Izvedba strehe kod PREFA Krovnih rombova, ležeći žljeb					list br. 012
datoteka: k_krovni rombovi-Dachrauten.dwg					




- ① PREFA Krovni rombovi
- ② sloj za razdvajanje
- ③ oplata min. 24 mm
- ④ kontraletva
- ⑤ roženica
- ⑥ PREFA zabatna traka
- ⑦ PREFA pričvrсна traka
- ⑧ podložna ljepenka



	datum	ime		PREFA ALuminiumprodukte Ges.m.b.H. A-3182 Markt/Lilienfeld	
obradio	30.03.2012	TRR/MUA			
Izvedba zabatnog ruba kod PREFA Krovnih rombova, PREFA zabatna traka					list br. 013
datoteka: k_krovni rombovi-Dachrauten.dwg					




	datum	ime	 PREFA ALuminiumprodukte Ges.m.b.H. A-3182 Marktl/Lilienfeld	
obradio	30.03.2012	TRR/MUA		
Izvedba zabatnog ruba kod PREFA Krovnih rombova, upušteni zabatni rub				list br. 014
datoteka: k_krovni rombovi-Dachrauten.dwg				



- ① PREFA Krovni rombovi
- ② sloj za razdvajanje
- ③ puna oplata min. 24 mm
- ④ povratni učvršćivač
- ⑤ zidni priključni lim
- ⑥ pokrov zida
- ⑦ učvršćivači (pričvrzni lim)




	datum	ime		PREFA ALuminiumprodukte Ges.m.b.H. A-3182 Markt/Lilienfeld
obradio	30.03.2012	TRR/MUA		
Pokrov zida kod PREFA Krovnih rombova				list br. 015
datoteka: k_krovni rombovi-Dachrauten.dwg				



- ① PREFA Krovni rombovi
- ② sloj za razdvajanje
- ③ puna oplata min. 24 mm
- ④ povratni učvršćivač
- ⑤ zidni priključni lim
- ⑥ pričvrсна traka
- ⑦ pokrov atike
- ⑧ zid

	datum	ime		PREFA ALuminiumprodukte Ges.m.b.H. A-3182 Markt/Lilienfeld
obradio	30.03.2012	TRR/MUA		
Pokrov atike kod PREFA Krovnih rombova				list br. 016
datoteka: k_krovni rombovi-Dachrauten.dwg				




- 1 žbuka
- 2 toplotinska izolacija
- 3 zid
- 4 zidna priključna uvala min. visine 150 mm
- 5 profil za završetak lima
- 6 povratni učvršćivač
- 7 PREFA Krovni rombovi
- 8 sloj za razdvajanje
- 9 puna oplata min. 24 mm



	datum	ime		PREFA ALuminiumprodukte Ges.m.b.H. A-3182 Markt/Lilienfeld
obradio	30.03.2012	TRR/MUA		
Bočni zidni priključak kod PREFA Krovnih rombova, s profilom za završetak lima				
				list br. 017
datoteka: k_krovni rombovi-Dachrauten.dwg				

varijanta s utičnom završnom lajsnom




- 1 žbuka
- 2 elastično brtvilo
- 3 toplotinska izolacija
- 4 zid
- 5 kitna lajsna
- 6 zidni priključak min. visine 15 cm
- 7 povratni učvršćivač
- 8 PREFA Krovni rombovi
- 9 sloj za razdvajanje
- 10 puna oplata min. 24 mm
- 11 brtvena traka



Hinweis: Diese Anschlussmöglichkeit wird an bereits bestehenden WDVS-Fassaden empfohlen.

	datum	ime		PREFA ALuminiumprodukte Ges.m.b.H. A-3182 Markt/Lilienfeld	
obradio	30.03.2012	TRR/MUA			
Bočni zidni priključak kod PREFA Krovnih rombova, sa završnom lajsnom					list br. 018
datoteka: k_krovni rombovi-Dachrauten.dwg					





	datum	ime	 PREFA Aluminiumprodukte Ges.m.b.H. A-3182 Marktl/Lilienfeld
obradio	30.03.2012	TRR/MUA	

Izvedba uvale kod PREFA Krovnih rombova,
PREFA sigurnosna uvala

list
br.
019

datoteka: k_krovni rombovi-Dachtrauten.dwg

- 1 PREFA Krovni rombovi
- 2 pričvrсна traka
- 3 sloj za razdvajanje
- 4 puna oplata min. 24mm
- 5 upuštena uvala




	datum	ime	 PREFA Aluminiumprodukte Ges.m.b.H. A-3182 Marktl/Lilienfeld
obradio	30.03.2012	TRR/MUA	

Izvedba uvale kod PREFA Krovnih rombova,
upuštena uvala V1

list
br.
020


datoteka: k_krovni rombovi-Dachtrauten.dwg

- 1 PREFA Krovni rombovi
- 2 lim uvale
- 3 sloj za razdvajanje
- 4 puna oplata min. 24mm
- 5 učvršćivač
- 6 upuštena uvala



	datum	ime	 PREFA Aluminijumprodukte Ges.m.b.H. A-3182 Marktl/Lilienfeld
obradio	30.03.2012	TRR/MUA	


Izvedba uvale kod PREFA Krovnih rombova,
 upuštena uvala V2



- ① PREFA nosač rešetke snjegobrana
- ② okrugle šipke d= 15 mm
- ③ pričvrсна traka
- ④ pokrovna kapa
- ⑤ PREFA podložna ploča za nosač rešetke snjegobrana
- ⑥ PREFA Krovni rombovi
- ⑦ sloj za razdvajanje
- ⑧ puna oplata min. 24mm
- ⑨ podloga rešetke snjegobrana




	datum	ime		PREFA ALuminiumprodukte Ges.m.b.H. A-3182 Marktl/Lilienfeld
obradio	30.03.2012	TRR/MUA		
Rešetkasti snjegobran kod PREFA Krovnih rombova				list br. 022
datoteka: k_krovni rombovi-Dachrauten.dwg				



- ① gazište
- ② nosač stepenice
- ③ podloga nosača stepenice
- ④ PREFA podložna ploča za nosač stepenice
- ⑤ pričvrsna traka
- ⑥ PREFA pokrovna kapa
- ⑦ sloj za razdvajanje




	datum	ime		PREFA ALuminiumprodukte Ges.m.b.H. A-3182 Markt/Lilienfeld
obradlo	30.03.2012	TRR/MUA		
Nosač stepenice kod PREFA Krovnih rombova				list br. 023
datoteka: k_krovni rombovi-Dachrauten.dwg				



- ① PREFA Krovni rombovi
- ② PREFA patentni učvršćivač
- ③ PREFA krovna sigurnosna kuka EN 795
- ④ pričvrzni materijal
- ⑤ osnovna ploča
- ⑥ sloj za razdvajanje
- ⑦ podložna ljepenka




	datum	ime		PREFA ALuminiumprodukte Ges.m.b.H. A-3182 Markt/Lilienfeld
obradio	30.03.2012	TRR/MUA		
Krovnna sigurnosna kuka kod PREFA Krovnih rombova, EN 795				list br. 024
datoteka: k_krovni rombovi-Dachrauten.dwg				




- ① PREFA krovna sigurnosna kuka EN 517 B
- ② pričvršno sredstvo
- ③ PREFA pokrovnna kapa
- ④ PREFA podložna ploča
- ⑤ pričvršna traka
- ⑥ sloj za razdvajanje
- ⑦ podložna ljepenka



	datum	ime		PREFA ALuminiumprodukte Ges.m.b.H. A-3182 Marktl/Lilienfeld
obradio	30.03.2012	TRR/MUA		
Krovnna sigurnosna kuka kod PREFA Krovnih rombova, EN 517B				list br. 025
datoteka: k_krovni rombovi-Dachrauten.dwg				



- 1 PREFEA Krovni rombovi
- 2 PREFEA patentni učvršćivač
- 3 priključni lim
- 4 PREFEA početna traka
- 5 klin
- 6 sloj za razdvajanje
- 7 brtvena traka
- 8 podložna ljepenka




Ležeeće krovne prozore stručno ugraditi u skladu s uputama proizvođača.

	datum	ime	 PREFEA Aluminiumprodukte Ges.m.b.H. A-3182 Marktl/Lilienfeld
obradio	30.03.2012	TRR/MUA	

Krovni prozor s klinom za krov nagiba iznad 25°
kod PREFEA Krovnih rombova


list
br.
026

datoteka: k_krovni rombovi-Dachtrauten.dwg





- ① PREFA Krovni rombovi
- ② PREFA učvršćivač Krovnog romba
- ③ sloj za razdvajanje
- ④ puna oplata min. 24mm
- ⑤ PREFA čavao s utorima

presjek A – A



presjek B – B



	datum	ime		PREFA ALuminiumprodukte Ges.m.b.H. A-3182 Marktl/Lilienfeld
obradio	30.03.2012	TRR/MUA		
PREFA Krovni rombovi presjeci				list br. 027
datoteka: k_krovni rombovi-Dachrauten.dwg				